



THE NETHERLANDS

COMMUNICATION

Concerning (1):

- approval granted
- approval extended
- approval refused
- approval withdrawn
- production definitely discontinued

of a type of electrical/electronic sub-assembly (1) with regard to Regulation number 10.

Approval number: E4*10R06/03*5781*00

1. Make (trade name of manufacturer)	Victron Energy B.V.
--------------------------------------	---------------------

2. Type and general commercial description(s)

Battery Protector, type: BatteryProtect 12/24V-

???A

3. Means of identification of type, if marked on the vehicle/component/

separate technical unit (1)

BatteryProtect 12/24V-65A

3.1. Location of that marking Label on rear (bottom) side

4. Category of vehicle : N.A.

5. Name and address of manufacturer Victron Energy B.V. De Paal 35 1351 JG Almere The Netherlands

6. In the case of components and separate technical units, location and

method of affixing of the approval mark | Screen printing on top of the housing

7. Address(es) of assembly plant(s)

8. Additional information (where

applicable)

see Appendix below

9. Technical service responsible for

carrying out the tests

: Kiwa Dare B.V. Vijzelmolenlaan 7 3447 GX Woerden

The Netherlands

P.O. Box 777 2700 AT Zoetermeer The Netherlands

Tel. + 31 88 008 74 77 E-mail typeapproval@rdw.nl

www.rdw.nl

Type-approval Department



Approval number: E4*10R06/03*5781*00

10. Date of test report : 2025 March, 13

11. Number of test report : 20250063RPT01

12. Remarks (if any) : see Appendix

13. Place : Zoetermeer

14. Date : 31 March 2025

15. Signature :

B. P. Loen

16. The index to the information package lodged with the approval authority, which may be obtained on request, is attached.

17. Reasons for extension : N.A.

⁽¹⁾ Strike out what does not apply.

APPENDIX

to type-approval communication form number: E4*10R06/03*5781*00

concerning the type-approval of an electrical/electronic sub-assembly (1) under Regulation number 10.

1. Additional information : N.A.

1.1. Electrical system rated voltage : 12 or 24 V pos./neg. ground (1)

1.2. This ESA can be used on any vehicle

type with the following restrictions : None

1.2.1. Installation conditions, if any : N.A.

1.3. This ESA can be used only on the

following vehicle types : N.A.

1.3.1. Installation conditions, if any : N.A.

1.4. The specific test method(s) used and the frequency ranges covered to

determine immunity were

: The EUT has only no immunity related functions, see section 6.10.3 (exceptions) of Regulation 10. Electrical disturbance test on voltage supply lines

1.5. Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests

: Kiwa Dare B.V.

2. Remarks

: Documentation:

CERT_E4-10R06-03-5781-00:

Certificate

Type approval mark example

Annex 2B

 Statement of application TR_E4-10R06-03-5781-00:
Report: 20250063RPT01

• Report: 20250063RPT01 IF E4-10R06-03-5781-00:

• Schematic: BPR R65A B.2 - Schematic v3.1

PCB: top and bottom layer

BOM



⁽¹⁾ Strike out what does not apply.